

檔 號：

保存年限：

牙醫門診醫療服務南區審查分會

地址：台南市永康區中華路195號10樓

傳真：(06)3123202

聯絡人及電話：(06)3122908 藍子瑋

電子郵件信箱：dent-sb@dentalways.org.tw

附件二

受文者：如正本

發文日期：中華民國110年7月5日

發文字號：南牙聯委字第3594號

速別：普通件

密等及解密條件或保密期限：

附件：

主旨：有關支付標準新增項目「91089C 糖尿病患者牙結石清除—全口」

申報應注意事項，詳如說明，敬請 轉知所屬會員知悉。

說明：「91089C 糖尿病患者牙結石清除—全口」自110年7月1日起實施，

為避免將來病患資格不符，衍生不必要的行政程序，請醫師於申報

時注意以下事項：

1. 務必確認病患為確診糖尿病患者，才可申報。
2. 病歷內文或病歷首頁應記載患有糖尿病。
3. 建議申報前，先上雲端藥歷做確認。

正本：台南市牙醫師公會、嘉義市牙醫師公會、嘉義縣牙醫師公會、雲林縣牙醫師公會

副本：

主任委員 陳亮光

1100719-2871

中華民國牙醫師公會全國聯合會 牙醫門診醫療服務審查執照

公告

本公告共 2 頁，P.1

主旨：自 110 年 7 月 1 日起生效「(91089C)糖尿病患者牙結石清除-全口」、「(92161B)唾液腺摘取術(每部位)」，以下為本會醫審室針對新增項目提供「病歷範本」，供參考。

糖尿病患者全口牙結石清除 (91089C)

病歷記錄表 (範本)

姓名:郝健康

病歷號碼:58xxxx

日期	健保序號	治療部位	處置	醫令	醫師簽章	備註
110/10/01	000X	FM	CC: Gum bleeding or Gum tenderness Dx: FM Gingivitis or FM Periodontitis. PMH: Type II diabetes mellitus for 3 years (1)or(2) (1) P't was treated with Metformin (biguanides) or Basal insulin or other DM drugs. (2) HbA1c = 6.5% for past 2 ~ 3 months	91089C	xxx	
			Tx: 1. Plaque control with topical application of disclosing agent, OHI 2. FM Scaling			

註：需記載血糖值或糖化血色素等檢驗數據或用藥紀錄。

公告

唾液腺摘取術(每部位) (92161B)

病歷記錄表 (範本一)

姓名:郝健康

病歷號碼:69XXXX

日期	健保序號	治療部位	處置	醫令	醫師簽章	備註
110/8/1	000X	L、R、99	CC: (參考範例) I felt dry mouth for months. Dx: (參考範例) suspect SICCA syndrome (唾液腺的滯留病變, 如黏液囊腫、蛤蟆腫等不得申報) L.F.: (參考範例) shiny mucosa with sticky saliva. Tx: (參考範例) (1) local infiltration anesthesia using lidocaine+ 1:80,000 epi (2) incisional line made at right/ left/middle side of lower/upper mucosal lip, (3) Dissect 4~6 minor salivary glands. (4) Suture with 4-0 Vicryl and gauze compression. (5) Wound care instruction.	92161B	×××	

ICD-10: M35.0

治療部位: 當月第 1 次申報依左右側填 L 或 R; 第 2 次如不同側亦依左右側填 L 或 R; 如同側則填 99。

病歷記錄表 (範本二)

姓名:甄健康

病歷號碼:69XXXX

日期	健保序號	治療部位	處置	醫令	醫師簽章	備註
110/8/1	000X	L、R、99	CC: (參考範例) I felt a growing mass at infra-auricular region since 2 months ago Dx: (參考範例) salivary gland tumor (唾液腺的滯留病變, 如黏液囊腫、蛤蟆腫等不得申報) L.F.: (參考範例) Physical examinations: one submucosal/subcutaneous nodule at palate/parotid tail/lip about 8*8 mm in size. Tx: (參考範例) (1) local infiltration anesthesia using lidocaine+ 1:80,000 epi (2) incisional line made along the tumor and flap reflection to expose the tumor. (3) Incisional Biopsy of tumor. (4) Suture with 4-0 Vicryl and gauze compression. (5) Wound care instruction.	92161B	×××	

ICD-10:

C07 Malignant neoplasm of parotid gland.

C08 Malignant neoplasm of other and unspecified major salivary glands.

C14 Malignant neoplasm of other and ill-defined sites in the lip, oral cavity and pharynx.

C83 Non-follicular lymphoma

C85 Other specified and unspecified types of non-Hodgkin lymphoma

C88 Malignant immunoproliferative diseases and certain other B-cell lymphomas

D11 Benign neoplasm of major salivary glands

治療部位: 當月第 1 次申報依左右側填 L 或 R; 第 2 次如不同側亦依左右側填 L 或 R; 如同側則填 99。